RECEIVER-WATER SUPPLY

2019 CERTIFICATION JUN 26 AM 8: 28

Town of Abbeaule- Water Department

Public Water System Name

0360001

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must email, fax (but not preferred) or mail, a copy of the CCR and Certification to the MSDH. Please check all boxes that apply.

X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	☐ Advertisement in local paper (Attach copy of advertisement)
	ZOn water bills (Attach copy of bill)
	☐ Email message (Email the message to the address below)
	☐ Other
	Date(s) customers were informed:/ /2020 / /2020 / /2020
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed:
=	CCR was distributed by Email (Email MSDH a copy) Date Emailed: / 2020
	☐ As a URL(Provide Direct URL)
	□ As an attachment
	☐ As text within the body of the email message
_	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper:
	Date Published://
×	CCR was posted in public places. (Attach list of locations) Date Posted: 05/18/2020
,	CCR was posted on a publicly accessible internet site at the following address:
	(Provide Direct URL)
l her abov and	ety certify that the CCR has been distributed to the customers of this public water system in the form and manner identified and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true correct and is consistent with the water quality monitoring data provided to the PWS officials by the Mississippi State Department
M	ealth. Bureau of Public Water Supply Why a Couloct Lo 1- 2020 Date
Van	ne/Title (Board Resident, Dayor, Owner, Admin. Contact. etc.) Date

Submission options (Select one method ONLY)

Mail: (U.S. Postal Service)

MSDH. Bureau of Public Water Supply

P.O. Box 1700 Jackson, MS 39215 Email: water.reports@msdh.ms.gov

Fax: (601) 576 - 7800

** Not a preferred method due to poor clarity **

CCR Deadline to MSDH & Customers by July 1, 2020!

0360001

RECEIVED WATER SUPPLY 2019 CONSUMER CONFIDENC

is my water safe?

We are pleased to present this year's Annual Water Quality Report (Content of Content of details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best after. Last year, we conducted tests for over 80 contaminants. We only detected 38 of those contaminants, and found only 1 at a level higher than the EPA slows. As we informed you at the time, our water temporarily exceeded drinking water standards. (For more information see the section labeled Violations at the end of the report.)

Do I need to take special precautions?

Some people may be more vidinerable to contaminants in drinking water than the general population, truming compromised persons such as persons with cancer undergoing chemotherapy. persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and intents can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the rick of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Holline (800-426-4791)

Where does my water come from?

Abbeyille collects their water from the Lower Wilcox Aburter

Source water assessment and its availability

A water source assessment has been made and is available for wawing open request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Sefe Drinking Water Holline (BD0-426-4791). The sources of drinking water (both tap water and bothed water) include rivers, takes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, reducedlive material, and can pick up substances resulting from the presence of animals or from human activity:

microbiol contaminants, such as visuses and bacteria, that may come from sewings trestment plants, septic systems, approximantly livestock poerations, and wedge, inorganic contaminants, such as salts and matals, which can be naturally occurring or result from urban stormwater rurials, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stommater runoff, and residential uses, organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-producta all industrial processes and petroleum production, and can also come from gas stations, urban atomicrate runoff, and septic systems, and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities, in order to ensure that tap water is safe to diskly, EPA prescribes regulations that hmit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

If you have any questions about this report or concerning your water utility, please content Mayor Scott Fricker at 862.816.8935. We want our valued customers to be informed about their water utifyly. If you want to learn more, please attend any of our regularly scheduled mesongs. Meetings are held on the first Thursday of each month at 7 00 PM at the Abbeville Town Hall

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisms that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Shot off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month. Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- · Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.cpa.gov/watersense for more information

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing crossconnection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us so that we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary,

- Boiler/ Radiant heater (water heaters not included)
- Underground lawn sprinkler system
- Pool or hot tub (whirlpool tubs not included)
- Additional source(s) of water on the property
- Decorative pond
- · Watering trough

Source Water Protection Tips

- Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

 Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.

Dispose of chemicals properly; take used motor oil to a recycling center.

- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups. consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a
- Organize a storm drain steneiling project with your local government or water supplier. Steneil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Monitoring and reporting of compliance data violations

inconsistently reported chlorine residual values

Additional Information for Lead

If present, disvated layers of lead can cause serious health problems, especially for pregnant women and young children, Lead in dinning water is primarily from materials and components associated with service lines and home plumbing. Town of Abbeville Water Department is responsible for providing high quality direking water, but cannot control the variety of materials used in plumbing components. When your water has been string for several hours, you can maximize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking of cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinting water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Holling or at http://www.epa.gov/sufewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for assenic, it does contain low levels of assenic EPA's standard balances the current understanding of assenic's possible health effects against the costs of removing arsenic from drinking water. EPA continues to research the health effects of low levels of assenic which is a minoral known to cause cancer in humans at high concentrations and is linked to other health effects such as slun damage and orculatory problems

Water Quality Data Table
In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water ontaminants were tested, only those substances listed below were found in your water. All sources of drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG	MCL, TT, or MRDL	Detect	Ha	uge			Typical Source
Contaminants	MRDEG		Your Water	Low	High	Sample Date		
Disinfectants & Dis	infection By-Products							
(There is convincing	evidence that addition of a di	sinfectant is necessary for control of microbial conta	nio ant s)					
Cklonne (as Cl2) (ppm)	-5	+		.5	1.5	2019	No	Water additive used to control microlus
Inorganic Contami	ohats							
Antimeny (ppb)	6	6	.5	NA	NA .	2019	No	Discharge from petroleum refineries, fire retardants; cetamits; electronics; solder, test addition.
Arsenic (ppb)	0	10	.5	Na	NA	2019	No	Eroson of natural deposits. Runoff from orchards. Runoff from glass and electronics production wastes
Danum (ppm)	2	2	.0064	NA	NA	2019	No	Discharge of drilling wastes; Discharge from metal refinences, Erusion of natural deposits
Beryllium (ppb)	4	4	3	NA	NA	3019	No	Discharge from metal refineries and coal- burning factories. Discharge from electrical, nerospace, and defense industries
Cadmium (ppb)	5	5	3	NA	NA	2019	No	Corrosion of galvaniaed pipes, Eroscon of natural deposits; Discharge from metal refinences, minoff from waste batteries and paints
Свестит (ррв)	100	100	5	NA	NA.	2019	No	Discharge from steel and pulp mills, Erosion of natural deposits

	MCLG	MCL	Detect	R	nge	Ca		
Contaminants	or MRDLG	TT, or MRDL	Your Water	Low	High	Sample Date	Violation	Typical Source
Cyanide (ppb)	200	200	1.5	NA	-	2019	No	Discharge from plastic and fertilizer factories: Discharge from steel metal factories
Fluoride (ppm)	-9	1	117	NA	NA	2019	No	Erosion of natural deposits. Water additis- which promotes strong teeth, Discharge from fertilizer and aluminum factories
Mercury [Inorganic] (ppb)	2	7	5	NA	NA	2019	No	Erosion of natural deposits. Discharge from refinences and factories. Runoff from landfills; Runoff from cropland
Shtrate [measured as Nitrogen] (ppm)	10	10	80,	NA	NA	3014	No	Ranoff from fertilizer use, Leaching from septic tanks, sewage: [froston of natura] deposits
Nitrite [measured as Nitrogen] (ppan)	1	ı	0.2	NA	NA	2019	No	Runoff from fartificatuse; Leaching from septic tanks, sewage, Erosion of natural deposits
Selenium (ppb)	\$0	50	5	NA	NA	2019	No	Discharge from petroleum and metal refineries, Erosion of natural deposits. Discharge from mines
Sodium (optional) (ppm)	NA		5.3	47	53	2019	No	Erosion of natural deposits, Leaching
Thillium (ppb)	.5	2	_5	NA	NA	2019	No	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Microbiological Con E. coli (RTCR) - in the distribution system	O O	Routine and repeat samples are total coliform positive and either is E. soli - positive or system fails to take repeat samples following E. coli positive routine sample or system fails to analyze total coliform positive repeat sample for E. coli		NA	NA	2019	Yes	Human and animal fecal waste
We had an E-coli-pos	sittivé repeat	sample following a total coliform-positive routine sample.						
Volatile Organic Co.	ntaminant							
t_l,l-Trichleroethane (ppb)	200	200	.5	NA	NA	2619	No	Discharge from metal degreeating sites and other factories
1.1.2-Trichloroethane (ppb)	3	3	5	NA	NA	2019	No	Discharge from industrial chemical factories
1.1-Dichloroethylene (ppb)	7	*	3	NA	NA	2019	No	Discharge from industrial chemical factories
1.2.4- Trichlorobenzene (pph)	70	70	5	NA	NA	2019	No	Discharge from textile finishing factories
1,2-Dichleroethane (ppb)	0	3	.5	NA	NA	2019	No	Lischarge from indestrial chemical factories
Benzene (ppb)	0	5	5	NA	NA	2019	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride (pph)	0	5	3	NA	NA	2019	No	Discharge from chemical plants and other industrial activities
Chlorobenzene (monoclilorobenzene (ppb)	100	100	5	NA	NA	2019	No	Discharge from chemical and agricultural chemical factories

2019 CONSUMER CONFIDENCE REPORT

s my water safe?

Ve are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide etails about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are omirabled to providing you with information because informed customers are our best after. Last year, we conducted tests for over 80 contaminants. We only detected 35 of those ontaminants, and found only 1 at a level higher than the EPA atows. As we informed you at the time, our water temporarily exceeded drinking water standards. (For more information see the ection labeled Violations at the end of the report 1

Do I need to take special precautions?

ome people may be more sulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, resons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people hould seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lossen the risk of infection by Dryptospondium and other microbial contaminants are available from the Safe Water Drinking Holline (800-426-4791)

Where does my water come from?

Abbeville collects their water from the Lower Wilcox Aquifor

Source water assessment and its availability

A water source assessment has been made and is available for viewing upon request

Why are there contaminants in my drinking water?

Onnking water including bottled water may reasonably be expected to contain at least small amounts of some contaminants. The presence of confaminants does not necessarily indicate that water poses a health risk. More information about contaminants and polential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Actime (800-426-4791). The sources of danking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, aprings, and wells. As water travels over the surface of the land or through the ground if dissolves naturally occuming minerals and in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from numan activity

microbial confarmments, such as viruses and bacteria, that may come from sowage treatment plants, septic systems, agricultural livestock operations, and wildlife, inorganic contaminants, such as salts and metals, which can be naturally occuming or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming, pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses, organic Chemical Contaminants, including synthetic and volable organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of orland gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health

How can I get involved?

If you have any questions about this report or concerning your water utility, please contact Mayor Scott Fricker at 662 816,8938. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. Meetings are held on the first Thursday of each month at 7,00 PM at the Abbeville Town Halt.

Description of Water Treatment Process

Your water is treated by disinfection. Disinfection involves the addition of chlorine or other disinfectant to kill dangerous bacteria and microorganisms that may be in the water. Disinfection is considered to be one of the major public health advances of the 20th century

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference - try one today and soon it will become second nature

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month, Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new more efficient model can save up to 1,000 gallons a month
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit www.epa.gov.watersense for more information.

Cross Connection Control Survey

The purpose of this survey is to determine whether a cross-connection may exist at your home or business. A cross connection is an unprotected or improper connection to a public water distribution system that may cause contamination or pollution to enter the system. We are responsible for enforcing crossconnection control regulations and insuring that no contaminants can, under any flow conditions, enter the distribution system. If you have any of the devices listed below please contact us so that we can discuss the issue, and if needed, survey your connection and assist you in isolating it if that is necessary.

- Boiler/ Radiant heater (water heaters not included)
- Underground lawn sprinkler system
- Pool or hot tub (whirlpool tubs not included)
- Additional source(s) of water on the property
- Decorative pond
- Watering trough

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.

Dispose of chemicals properly; take used motor oil to a recycling center.

- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a
- Organize a storm drain steneiling project with your local government or water supplier. Steneil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water" Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Monitoring and reporting of compliance data violations

nconsistently reported chloring residual values

Additional Information for Lead

I present, elevated levels of load can cause serious health problems, especially for pregnant women and young chitaren. Lead in draking water is primarily from materials and components associated with service lines and frome plumbing. Town of Abbeville Water Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in stumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water or drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Additional Information for Arsenic

While your drinking water meets EPA's standard for arsenic, it does contain low levels of arsenic. EPA's standard balances the current understanding of arsenic's possible health effects against the costs of removing assenic from draking water. EPA continues to research the health effects of low levels of assenic which is a minoral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and orculatory problems.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table

	MCLG	MCL,	Detect	Ra	nge			
Contaminants	or MRDLG	TT, or MRDL	Your Water	Low	High	Sample Date	Violation	Typical Source
	infection By-Produc							
(There is convincing	evidence that addition	on of a distratectant is necessary for control of interobial contaminants)		_				
Chlonne (as Cl2) (ppm)	1	4	1.05	NA	NA	2019	No	Water additive used to control interobes
Inorganic Contami	nants							
Antimiony (ppb)	Ċ.	6	5	NA	NA	2019	Nn	Discharge from perfoleum refineries, fire retardants; ceramics, electronies; solder, test addition
Arsenic (1976)	()	10	4	NA	NA	2019	No	Erosion of natural deposits, Runoff from orchards, Runoff from glass and electronics production wastes
Barrum (ppm)	2		()()64	NA	NA	2019	No	Discharge of drilling wastes, Discharge from metal refineries. Frosion of natural deposits
Beryllium (ppb)	4	1	3	NA	NA	2019	No	Discharge from metal refineries and coal- barring factories. Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	\$	5	•	NA	NA	2010	No	Corrosion of galvanized pipes, Erosion of natural deposits. Discharge from metal refineries, runoff from waste batteries and paints
Chroenium (ppb)	100	100	- 5	NA	NA	2014	No	Discharge from steel and pulp mills: Erosion of natural deposits

	MCLG	MCL,	Detect In	Ra	nge			
Contaminants	or MRDLG	17. or MRDL	Your Water	Low	High	Sample Date	Violation	Typical Source
yanide (ppb)	200	2(K)	15	NA	NA,	2019	No	Discharge from plastic and fertilizer factories, Discharge from steel metal factories
Fluende (ppm)	4	3	117	NA	NA	2019	No	Erosion of natural deposits, Water additive which promotes strong teeth, Discharge from fertilizer and aluminum factories
dercury [Inorganic] pph)	2		d.	NA	NA	2019	No	Eroston of natural deposits, Discharge from refineries and factures. Runoff from landfills, Runoff from cropland
Nitrate (measured as Nitrogen) (ppm)	10	10	08	NA	NA	2019	No	Runoff from fertilizer use, Leaching from septic tanks, sewage, Froston of natural deposits
Nitrite (measured as Nitrogen) (ppm)	ti	1	02	NA	NA	2019	No	Runoff from fertilizer use, Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	<u>5</u> n	5	NA	NA	2019	No	Discharge from petroleum and metal retineries: Errosion of natural deposits. Discharge from mines
Thallium (ppb)	5	2	1	NA	NA	2019	No	Discharge from electronics, glass, and Leaching from ore- processing sites, drug factories
Microbiological Cor E. coli (RTCR) - in the distribution system	laminants 6	Rontine and repeat samples are total coliform positive and either is E_coli - positive or system fails to take repeat samples following E_coli positive routine sample or system fails to analyze total coliform positive repeat sample for E_coli	1	NA	NA	2019	Yes	Human and animal fecal waste
We had an E_coh-po	sitis e repela	Sample following a total coliform-positive routine sample						
Volatile Organic Co	ntaminant		1	Tire	T.	T		Te : 2 .
1,1,1-Trichforeethand (ppb)	260	200	5	NA	NA	2019	No	Discharge from metal degreasing sites and other factories
1,1,2-Tricliforoethan (ppb)	. 3	¢ .	3	NA	NA	2019	No	Discharge from industrial chemical factories
1.1-Dickloroothylene (pph)	.7	•	5	NA	N.A	2019	No	Discharge from industrial chemical factories
1,2,4- Trichlorahenzene (ppb)	70	96	S	NA	NA	2019	No	Discharge from textile finishing factories
1,2-Dichloroethane (ppb)	0	5	4	N/A	NA	2019	No	Discharge from industrial chemical factories
Benzene (ppb)	a	.5	.5	N/	N/A	2019	No	Discharge from factories, Leaching from gas storage tank and landfills
Carbon Tetrachlorida (ppb)	0	5	5	N.F	N.A	2019	No	Discharge from chemical plants and other industrial activities
Chlorobenzene (monochlorobenzene (pph)	100	100	5	N/	N/	2019	No	Discharge from chemical and agricultural chemical factories
Dichleromethane (ppb)	0	.5	5	N/	V N/	2019	No	Discharge from pharmaceutical and chemical factories

	MCLG							
Contaminants	or MRDLG	TT. or MRDL	Your Water	1.0%	High	Sample Date	Violation	Typical Source
Ethylbenzene (ppb)	700	700	5	NA	NA	2019	No	Discharge from petroleum refineries
Styrene (ppb)	100	199	.5	NA	NA	2019	No	Discharge from rubber and plastic factories. Leaching from landfills
letrachloroethylene (pph)	0	5	.5	NA	NA	2019	No	Discharge from factories and dry cleaners
Toluene (ppm)	l.		5	NA	NA	2019	No	Discharge from petroleum factories
Trichloroethylene (pph)	0	€	5	NΑ	NA	2019	No	Discharge from metal degreasing sites and other factories
Vinyl Cliloride (ppb)	a	2	5	NA	NA	2019	No	Leaching from PVC piping, Discharge from plastics factories
Xylenes (ppin)	10)	te	**	NA	NA	2019	No	Discharge from petroleum factories, Discharge from chemical factories
cis-1.2- Dichloroethylene (ppb)	70	70	5	NA	NA	2019	No	Discharge from industrial chemical factories
o-Dichlorobenzene (ppb)	600	600	5	NA	NA	2019	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	74	3	NA	NA	3019	No	Discharge from industrial chemical factories
manset 2- Dichloroethylene (ppb)	100	166	4	NA	NA	2019	No	Discharge from industrial clientical factories

Violations and Exceedances

E. coli (RTCR) - in the distribution system

E cold are hacteria whose presence indicates that the water may be contaminated with human or animal wastes. Human pathogens in these wastes can cause short-term effects, such as diarrhea, cramps, nausea, beadaches, or other symptoms. They may pose a greater health risk for infants, young children, some of the elderly, and people with severely compromised immune systems. We found fit cold bacteria, indicating the need to look for potential problems in water treatment or distribution system. When this occurs, we are required to conduct assessments stordently problems and to correct any problems that were found during these assessments. If 01, 2019–11, 50, 2019 notice was given

Descriptions						
Term	Definition					
ppm	ppm parts per million, or milligrams per liter (mg l,)					
ppb	ppb parts per billion, or inicrograms per liter (µg L)					
NA .	NA not applicable					
ND	ND Not detected					
NR	NR Monitoring not required, but recommended					
positive samples	positive samples yr. The number of positive samples taken that year					

nportant Drinking Water Definitions								
Term	Definition							
MCLG	MCLG: Maximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.							
MCL	MCL. Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.							
II	TT Treatment Technique. A required process intended to reduce the level of a contaminant in drinking water							
AL	Al. Action Level. The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow							
Variances and Exemptions	Variances and Exemptions. State or EPA permission not to meet an MCL or a treatment technique under certain conditions.							
MRDLG	MRDLG. Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do no reflect the benefits of the use of disinfectants to control microbial contaminants.							
MRDL	MRDL. Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of nucrobial contaminants.							
MNR	MNR Monitored Not Regulated							
MPL	MPL State Assigned Maximum Perimssible Level							

				Explanation and
TT Violation	Explanation	Length	Health Effects Language	Comment
Surface water treatment rule iltration and disinfection violations			inadequately treated water may contain disease-causing organisms. These organisms metade bacteria, viruses, and parasites, which can cause symptoms such as nausea, cramps, diarrhea, and associated headaches.	

For more information please contact:

ontact Name: Lynn Klepzig Address: 55 Business 7 South Abbeville, MS 38601 Phone, 6628321770

Town of Abbeville-Water Department List of CCR display locations

Abbeville Post Office

Abbeville Bank

Abbeville Town Hall

(662) 832-1770 38601

7 Yang 04	METER REA			MEHPHIS TH	380
Water	PACSEME.	R22200	2060	CHARGES	CUSTOMER

Account	DUE DATE
82	THE PHYS CLATE
	6/15/20 PABT DUE AMOUNT
	128.50 OUR PAYMENT
	82 RECEIPT

BANK DRAFT - Account will be debited on the 10th

MONTH DAY CLASS TOUR	genited on the	
5 22 1 UPON RECEIPT 2019 CCR REPORTS A323.50	ACCOUNT 82 5/26/20 AFTER DUE DATE FAST DUE AMOUNT 128.50	Joe Klepzig
Online and abbevillent good Automatic bank draft—form required Drop box at Town Hall		MS 38601
		աստատարարիկի